



## PRODUCT SPECIFICATION

### Waterproof Up Down Lighting LED Wall Lamp

Item Model: KD-LWL-A115SIP65-6W

KD-LWL-A175SIP65-12W



#### • Features

1. Using Aluminum material, good appearance.
2. High quality brand driver, high efficiency and stability.
3. Using high quality Epistar CHIP light source, high light efficiency, and long life span.
4. Quick response time, the LED response time is nanosecond.
5. Environmental protection, no heavy metals and harmful gas.
6. Energy-saving, can save energy more 80% than traditional fluorescent lights.
7. start quickly, soft light, protect your eyes.
8. Easy to install and use: surface wall mounted.

## ● Technical Parameter



Model	KD-LWL-A115SIP65-6W / KD-LWL-A175SIP65-12W
Size	115*90*30mm 6W/ 175*90*30mm 12W
Light Power	COB source Epistar
Luminous Flux	50~60LM/W, Ra>80
Input Voltage	AC85-265V Done Driver
Frequency	50/60Hz
Color Temperature	Warm white, Natural white, White
Beam Angle	up down lighting
Color of Shell	Black /White shell
Material	Aluminum alloy
IP rate	IP65
Working Temperature	-20 to + 55 °C
Working Humidity	10-70% RH
Certificate	CE RoHS
Warranty	3 years

## ● Product Package (standard neutral packing for exportation)

Box size <b>6W</b>	pcs/carton	Carton size	Net Weight (/pc)	Gross weight (/pc)
12*9.5*3.5cm	40pcs/carton	27*22*38cm	0.36kg	0.4kg

Box size <b>12W</b>	pcs/carton	Carton size	Net Weight (/pc)	Gross weight (/pc)
18*9.5*3.5cm	20pcs/carton	21*22*38cm	0.54kg	0.6kg

● **Product Details** (A175SIP65-12W for reference)



## • Products Application Cases

Indoor /outdoor Wall mounted lighting

